

# ALBUQUERQUE UROLOGY ASSOCIATES, P.A.

Aaron J. Geswaldo, D.O., F.A.C.O.S.  
Shelly Pierson, M.A.

ABQ: 610 Broadway Blvd. Albuquerque, NM 87102  
505-242-3991 x2026 fax:505-243-8405  
SF: 490-A West Zia Road, Santa Fe, NM 87505  
505-989-9500 fax:505-294-6315

## POST-OPERATIVE DISCHARGE INSTRUCTIONS CYSTOSCOPY with/without RETROGRADE PYELOGRAMS and BLADDER BIOPSY

Cystoscopy is the process of looking, with a medical telescope, into the bladder. A retrograde pyelogram is a radiological study to look at the anatomy of your urinary system. A bladder biopsy is sampling a small amount of tissue from you bladder. The area is cauterized to maintain hemostasis (control blood loss). Typically these studies are completed to look for abnormalities in your bladder, ureters or kidneys.

**Diet:** May resume regular diet as tolerated.

**Activity:** Quiet activity today and then resume normal activity as tolerated. No heavy lifting or exercising for the next few days.

**Bathing:** May use shower or bathtub when fully recovered from anesthesia.

**Post Operative Care:** Drink plenty of fluids avoiding caffeinated drinks, spicy foods, and alcohol. Avoid strenuous activity. You may have bladder spasms throughout the day at any time. Flank pain (back pain) is common. It may feel like a dull ache or back spasm. You may feel pain in your kidney when urinating. Be careful engaging in activity that can harm yourself and others (e.g. driving or operating heavy machinery). Blood in your urine is also common could be light pink to cherry color. You may pass stone debris and small blood clots.

### Medications:

- Lortab** (5, 7.5, 10 /500) mg one tab by mouth every 6 hours as needed for pain
- Percocet** (5. 7.5, 10/325) mg one tab by mouth every 6 hours as needed for pain
- Pyridium** (100, 200) mg one tab per mouth every 8 hours for dysuria (burning)
- Cipro** (250, 500) mg one tab per mouth twice a day
- Ibuprofen** (400, 600, 800) mg by mouth every 6 hours with food for pain (use Ibuprofen first and if you still have breakthrough pain use your narcotic prescription)
- Other: \_\_\_\_\_  
\_\_\_\_\_

### Follow-up Studies:

- KUB XR** [flat plate x-ray of abdomen that includes a picture of your kidneys, ureters and bladder] Obtain film a few days prior to your follow-up office visit. Bring the film with you to office.
- \_\_\_\_\_  
\_\_\_\_\_

### Follow-Up Appointment:

- You have an appointment on \_\_\_\_\_ at \_\_\_\_\_ a.m./p.m.  
Date Time
- The office will call with your follow-up appointment date and time. *(Please call my assistant if you do not hear back from us 7 business days post operatively).*
- (New Patients)* Please call our office for a follow-up appointment within 2 weeks unless otherwise instructed.

**Please notify our office for any signs or symptoms of infection, such as fever (>101), chills, nausea, vomiting, or feeling ill. Call if you have bright red continuous bleeding, pain not controlled by your prescriptions, or retention of urine. My assistant, Shelly can be reached at 505-242-3991 x2026.**

**Warning: A double J. stent is not a permanent implant and must be managed by your urologist. It is safe if used for short durations (less than 3 months). It can cause significant harm to your urinary system if you fail to have proper medical follow.**

# ALBUQUERQUE UROLOGY ASSOCIATES, P.A.

Aaron J. Geswaldo, D.O., F.A.C.O.S.  
Shelly Pierson, M.A.

ABQ: 610 Broadway Blvd. Albuquerque, NM 87102  
505-242-3991 x2026 fax:505-243-8405  
SF: 490-A West Zia Road, Santa Fe, NM 87505  
505-989-9500 fax:505-294-6315

## POST-OPERATIVE DISCHARGE INSTRUCTIONS CYSTOSCOPY WITH (or without) RETROGRADE PYELOGRAMS

Cystoscopy is the process of looking, with a medical telescope, into the bladder. A retrograde pyelogram is a radiological study to look at the anatomy of your urinary system. A bladder biopsy is sampling a small amount of tissue from your bladder. The area is cauterized to maintain hemostasis (control blood loss). Typically these studies are completed to look for abnormalities in your bladder ureters or kidneys.

**Diet:** May resume regular diet as tolerated.

**Activity:** Quiet activity today and then resume normal activity as tolerated. No heavy lifting or exercising for the next few days

**Bathing:** May use shower or bathtub when fully recovered from anesthesia.

**Post Operative Care:** Drink plenty of fluids avoiding caffeinated drinks, spicy foods, and alcohol. Avoid strenuous activity. You may have bladder spasms throughout the day at any time. Flank pain (back pain) is common. It may feel like a dull ache or back spasm. You may feel pain in your kidney when urinating. Be careful engaging in activity that can harm yourself and others (e.g. driving or operating heavy machinery). Blood in your urine is also common could be light pink to cherry color. You may pass stone debris and small blood clots.

### Medications:

- Lortab** (5, 7.5, 10 /500) mg one tab by mouth every 6 hours as needed for pain
- Percocet** (5, 7.5, 10/325) mg one tab by mouth every 6 hours as needed for pain
- Pyridium** (100, 200) mg one tab per mouth every 8 hours for dysuria (burning)
- Cipro** (250, 500) mg one tab per mouth twice a day
- Ibuprofen** (400, 600, 800) mg by mouth every 6 hours with food for pain (use Ibuprofen first and if you still have breakthrough pain use your narcotic prescription)
- Other: \_\_\_\_\_

### Follow-up Studies:

- KUB XR** [flat plate x-ray of abdomen that includes a picture of your kidneys, ureters and bladder] Obtain film a few days prior to your follow-up office visit. Bring the film with you to office.
- \_\_\_\_\_

### Follow-Up Appointment:

- You have an appointment on \_\_\_\_\_ at \_\_\_\_\_ a.m./p.m.  
Date Time
- The office will call with your follow-up appointment date and time. *(Please call my assistant if you do not hear back from us 7 business days post operatively).*
- (New Patients)* Please call our office for a follow-up appointment within 2 weeks unless otherwise instructed.

Please notify our office for any signs or symptoms of infection, such as fever (>101), chills, nausea, vomiting, or feeling ill. Call if you have bright red continuous bleeding, pain not controlled by your prescriptions, or retention of urine. My assistant, Shelly can be reached at 505-242-3991 x2026.

**Warning:** A double J. stent is not a permanent implant and must be managed by your urologist. It is safe if used for short durations (less than 3 months). It can cause significant harm to your urinary system if you fail to have proper medical follow-up.

**A COPY OF THIS FORM WAS GIVEN TO PAIENT ALONG WITH APPROPRIATE PERSCRIPTIONS. DISCHARGE INSTRUCTIONS WERE EXPLAINED. ALL QUESTIONS WERE ANSWERED. THE PATIENT (AND/OR FAMILY) UNDERSTANDS THE IMPORTANCE OF PROPER FOLLOW-UP.**

*This document is an official patient record. Please place in the chart.*

**ALBUQUERQUE UROLOGY ASSOCIATES, P.A.**

Aaron J. Geswaldo, D.O., F.A.C.O.S.  
Shelly Pierson, M.A.

ABQ: 610 Broadway Blvd. Albuquerque, NM 87102  
505-242-3991 x2026 fax:505-243-8405  
SF: 490-A West Zia Road, Santa Fe, NM 87505  
505-989-9500 fax:505-294-6315

**Discharge Summary**

Patient Label :

Date of Procedure: \_\_\_\_\_

Diagnosis: \_\_\_\_\_

\_\_\_\_\_

**Procedure:**

[ JJ stent placement:  Left,  Right,  Bilateral ]

- Cystoscopy,
- Cystoscopy, bladder biopsy
- Cystoscopy, retrograde pyelogram, bladder biopsy
- Cystoscopy, retrograde pyelogram
- Cystoscopy, retrograde pyelogram, JJ stent

OTHER: \_\_\_\_\_

\_\_\_\_\_

**Medications (patient was given Rx at discharge)**

- Lortab (5, 7.5, 10 /500)  Percocet (5, 7.5, 10/325)
- Pyridium (100, 200)  Cipro (250, 500) mg
- Ibuprofen (400, 600, 800) mg
- Other: \_\_\_\_\_

**Follow-up Studies: [Attention Albuquerque Urology Schedulers]**

- The patient needs to be scheduled for the following study
  - CT Scan abdomen and Pelvis (stone study – no IV or PO contrast)
  - CT scan abdomen and pelvis with IV contrast
  - KUB XR  Chest XR  Renal US  Renal and Bladder US
  - IVP  Whole Body Bone Scan  Renal Flow Scan (Renogram)
  - CBC  BMP  BUN/Cr  UA

The patient was discharged with the above orders for follow-up

**Follow-Up Appointment: [Attention Albuquerque Urology Schedulers]**

- Schedule patient for follow up appointment in \_\_\_\_\_ weeks. **Call the patient with date and time.**
- Schedule pt for an office cystoscopy with stent removal in \_\_\_\_\_ weeks. **Call patient with date and time.**
- Patient has an appointment on \_\_\_\_\_ at \_\_\_\_\_ a.m./p.m.
 

Date Time

 The patient was called with appointment date and time.

Scheduled by: \_\_\_\_\_ Date : \_\_\_\_\_

*This document is an official patient record. Please place in the chart.*